

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	: Byung-Woo BAE et al.	<u>Certificate of Correction Branch</u>
Patent No.	: 7,678,261	Issued: March 16, 2010
Appln. No.	: 10/528,187	Filed: March 17, 2005
For	: APPARATUS AND METHOD FOR MEASURING REACTION RESULT OF SAMPLES ON BIOSENSOR	

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Certificate of Correction Branch
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.


Please correct the following error appearing in the printed patent, which is apparently the fault of the U.S. Patent and Trademark Office. Thus, no fee is required to be paid to correct this error.

At column 10, line 16 (claim 2, line 27) of the printed patent, change "two-working" to --working---. This appeared correctly on page 3, line 16 (claims 3, line 17) of the Amendment Under 37 C.F.R. § 1.312 filed on January 13, 2010 and entered by the Examiner on February 3, 2010.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

At column 10, line 16 (claim 2, line 27) of the printed patent, change “two-working” to --- working---. Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,
Byung-Woo BAE et al.



Bruce H. Bernstein
Reg. No. 29,027

May 25, 2010
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,678,261

APPLICATION NO.: 10/528,187

ISSUE DATE : March 16, 2010

INVENTOR(S): Byung-Woo BAE et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 10, line 16 (claim 2, line 27) of the printed patent, change "two-working" to ---working---.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.